OK to Enter MM

## In the Claims: Please amend the claims as follows.

- 1. (Currently Amended) A polishing composition for use in combination with an oxidizing agent for polishing a substrate, said composition comprising an abrasive particle having a surface on which at least one stabilizer comprising B, Al, P, or mixtures thereof and at least one catalyst are bonded, provided that the at least one stabilizer differs from the at least one catalyst, and wherein the at least one catalyst catalyzes an oxidation reaction of a per-compound oxidizing agent with a substrate during polishing.
- 2. (Previously Presented) The composition of claim 1, further comprising: an oxidizing agent which is a per compound; and a medium in which the abrasive and the oxidizing agent are contained.
- 3. (Original) The composition of claim 2, wherein the oxidizing agent is hydrogen peroxide and the medium is deionized water.
- 4. (Previously Presented) The composition of claim 13, wherein the abrasive is a member selected from the group consisting of alumina, titania, zirconia, germania, silica, ceria and mixtures thereof, the at least one stabilizer comprises B, and the at least one catalyst comprises at least one member selected from the group consisting of Cu, Fe, Mo, Mn, Ti, W and V.
- 5. (Currently Amended) The composition of claim 1, wherein the abrasive is a member selected from the group consisting of alumina, titania, zirconia, germania, silica, ceria and mixtures thereof, the at least one stabilizer comprises Al, and the at least one catalyst comprises at least one member selected from the group consisting of Cu, Fe, Mn, Ti, W and V, provided that the at least one stabilizer and the abrasive particle are not alumina.
- 6. (Previously Presented) The composition of claim 4, wherein the abrasive particle is colloidal silica.
- 7. (Previously Presented) The composition of claim 4, wherein the abrasive particle comprises colloidal silica.

- 8. (Previously Presented) The composition of claim 4, wherein the catalyst comprises Fe, Cu, or mixture thereof.
- 9. (Previously Presented) The composition of claim 4, wherein the abrasive particle is silica, and the at least one catalyst comprises Fe.
- 10. (Previously Presented) The composition of claim 4, wherein the abrasive is silica, and the at least one catalyst comprises Cu.
- 11. (Currently Amended) The composition of claim 5, wherein the abrasive is silica, and the at least one catalyst comprises Fe Cu Fe, Cu, or mixture thereof.
- 12. (Currently amended) A polishing composition for use in combination with an oxidizing agent for polishing a substrate, said composition comprising:

an abrasive particle having a surface on which are bonded at least one stabilizer and at least one catalyst, provided that the at least one stabilizer differs both from the at least one catalyst and from the abrasive particle;

an oxidizing agent; and

a medium in which the abrasive and the oxidizing agent are contained,

wherein the at least one catalyst catalyzes an oxidation reaction of the oxidizing agent with a substrate, and wherein the stabilizer is bonded to the abrasive prior to or simultaneously with the bonding the catalyst to the abrasive.

13. (Previously Presented) The composition of claim 12, wherein the abrasive is a member selected from the group consisting of alumina, titania, zirconia, germania, silica, ceria and mixtures thereof, the at least one stabilizer comprises at least one member selected from the group consisting of boric acid, tungstate, and a stabilizer comprising Al, the at least one catalyst comprises at least one member selected from the group consisting of Cu and Fe, wherein the stabilizer is bonded to the abrasive prior to the bonding the catalyst to the abrasive, and the oxidizing agent is at least one member selected from the group consisting of periodic acid, hydrogen peroxide and urea-hydrogen peroxide.

5

- 14. (Previously Presented) The composition of claim 12, wherein the abrasive is silica, at least one stabilizer comprises Boron, and at least one catalyst is Fe and the oxidizing agent is hydrogen peroxide.
- 15. (Previously Presented) The composition of claim 12, wherein the abrasive is silica, the at least one stabilizer comprises Boron, and at least one catalyst is Cu and the oxidizing agent is hydrogen peroxide.
- 16. (Previously Presented) The composition of claim 12, wherein the abrasive is silica, the at least one stabilizer comprises tungstate, the at least one catalyst is Fe and the oxidizing agent is hydrogen peroxide.
  - 17-27. (cancelled).
- 28. (Currently Amended) The composition of claim 1 A polishing composition for use in combination with an oxidizing agent for polishing a substrate, said composition comprising an abrasive particle having a surface on which at least one stabilizer and at least one catalyst are bonded, wherein the abrasive is a member selected from the group consisting of alumina, titania, zirconia, germania, silica, ceria and mixtures thereof, wherein the at least one stabilizer comprises phosphorus P, and wherein the at least one catalyst comprises at least one member selected from the group consisting of Cu and Fe and catalyzes an oxidation reaction of a percompound oxidizing agent with a substrate during polishing.
- 29. (Currently Amended) The composition of claim 12 A polishing composition for use in combination with an oxidizing agent for polishing a substrate, said composition comprising:

an abrasive particle having a surface on which are bonded at least one stabilizer and at least one catalyst, wherein the abrasive is a member selected from the group consisting of alumina, titania, zirconia, germania, silica, ceria and mixtures thereof, the at least one stabilizer comprises phosphorus P, the at least one catalyst comprises Cu or Fe and catalyst catalyzes an oxidation reaction of the oxidizing agent with a substrate, and the stabilizer is bonded to the abrasive prior to the bonding the catalyst to the abrasive;

an oxidizing agent; and

a medium in which the abrasive and the oxidizing agent are contained.

1-WA/2466227.1

30. (Previously Presented) The composition of claim 12, wherein the abrasive is a member selected from the group consisting of alumina, titania, zirconia, germania, silica, ceria and mixtures thereof, the at least one stabilizer comprises W in the form of tungstate, the at least one catalyst comprises Cu or Fe, and the stabilizer is bonded to the abrasive prior to the bonding the catalyst to the abrasive.

## 31. (Cancelled)

- 32. (Previously Presented) The composition of claim 12, wherein the abrasive is a member selected from the group consisting of alumina, titania, zirconia, germania, silica, ceria and mixtures thereof, the at least one stabilizer comprises B in the form of boric acid, and the at least one catalyst comprises at least one member selected from the group consisting of Cu and Fe, wherein the borate is bonded to the abrasive prior to bonding the catalyst to the abrasive.
- 33. (Currently Amended) The composition of claim 12, wherein the abrasive is a member selected from the group consisting of alumina, titania, zirconia, germania, silica, ceria and mixtures thereof, the at least one stabilizer comprises B in the form of boric acid, the at least one catalyst comprises at least one member selected from the group consisting of Cu and Fe, and wherein the abrasive particles having a surface on which are bonded at least one stabilizer and at least one catalyst have a positive zeta potential.
- 34. (Previously Presented) The composition of claim 12, wherein the abrasive is a member selected from the group consisting of alumina, titania, zirconia, germania, silica, ceria and mixtures thereof, the at least one stabilizer comprises Al, and the at least one catalyst comprises at least one member selected from the group consisting of Cu and Fe, wherein the Alcontaining stabilizer is bonded to the abrasive prior to bonding the catalyst to the abrasive.

7

1-WA/2466227.1